DS-2CE76U1T-ITMF
8 MP Turret Camera



主要特點

- 829 萬畫素高解析度 CMOS
- 3840 × 2160 解析度
- 2.8、3.6、6.0 mm 定焦鏡頭
- EXIR 2.0、智慧紅外線、紅外線距離：30 公尺
- 4 合 1 影像輸出（可切換 TVI/AHD/CVI/CVBS）
- IP67 防水等級
- 同軸電纜（HIKVISION-C）


產品規格


攝影機	
感光元件	8.29 Megapixel progressive scan CMOS
訊號制式	PAL/NTSC
影像張數	TVI: 8M @ 15fps、5M @ 20fps、4M @ 30fps、2M @ 30fps CVI: 8M @ 12.5fps、8M @ 15fps AHD: 8M @ 12.5fps、8M @ 15fps CVBS: 960H P/N
解析度	3840 (H) × 2160 (V)
最低照度	彩色: 0.01 Lux@(F1.2, 自動增益控制)、紅外線啟用：0 Lux
快門速度	1/15 ~ 1/50,000 秒
鏡頭	2.8、3.6、6.0 mm 定焦鏡頭
水平視角	102.2° (2.8 mm)、79° (3.6 mm)、50.8° (6 mm)
鏡頭安裝	M16
日夜切換	紅外線濾光片自動切換
三軸調整（支架）	水平: 0° ~ 360°、垂直: 0° ~ 75°、翻轉: 0° ~ 360°
同步	內部同步掃描
數位寬動態（DWDR）	105 dB
選單	
自動增益（AGC）	支援
日夜切換模式	自動 / 彩色 / 黑白
白平衡	自動 / 手動
背光補償（BLC）	支援
語言	英文
影像調整	明亮度、銳利度、數位降噪、鏡像、智慧紅外線、強光補償
選單	
影像輸出	類比高清輸出 x 1
切換鈕	TVI / AHD / CVI / CVBS
其他	
工作溫度/濕度	溫度：–40 °C ~ 60 °C (–40 °F ~ 140 °F)，濕度: 90%以下
電源	DC 12V ±25% **建議您使用一個電源供應器為一台攝影機供電*
耗電量	Max. 5.3 W
防水等級	IP67
材質	金屬
紅外線距離	30 公尺
通訊方式	同軸電纜，通訊協定: HIKVISION–C (TVI 輸出)
外型尺寸	90 mm × 79.37 mm (3.54" × 3.12")
重量	約 310 g (0.68 lb.)

產品型號

DS-2CE76U1T-ITMF

外型尺寸





配件



DS-1272ZJ-110-TRS
Wall Mount



DS-1275ZJ-SUS
Vertical Pole Mount



DS-1276ZJ-SUS
Corner Mount



DS-1280ZJ-XS
Junction Box

Distributed by

Headquarters
No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
overseasbusiness@hikvision.com

Hikvision USA
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Europe
T +31-23-5542770
sales.eu@hikvision.com

Hikvision UK & Ireland
T +01628-902140
sales.uk@hikvision.com

Hikvision UAE
T +971-4-4432090
salesme@hikvision.com

Hikvision Russia
T +7-495-669-67-99
saleru@hikvision.com

Hikvision Australia
T +61-2-8599-4233
salesau@hikvision.com

Hikvision Italy
T +39-0438-6902
info.it@hikvision.com

Hikvision South Africa
Tel: +27 (10) 0351172
sale.africa@hikvision.com

Hikvision Singapore
T +65-6684-4718
sg@hikvision.com

Hikvision Korea
T +82-(0)31-731-8817
sales.korea@hikvision.com

Hikvision India
T +91-22-28469900
sales@pramahikvision.com

Hikvision Brazil
T +55 11 3318-0050
Latam.support@hikvision.com

Hikvision France
T +33(0)1-85-330-450
info.fr@hikvision.com

Hikvision Spain
T +34-91-737-16-55
info.es@hikvision.com

Hikvision Poland
T +48-22-460-01-50
info.pl@hikvision.com

Hikvision Canada
T +1-866-200-6690
sales.canada@hikvision.com

Hikvision Turkey
T +90 (216)521 7070- 7074
sales.tr@hikvision.com

Hikvision Kazakhstan
T +7-727-9730667
nikia.panfilov@hikvision.ru

Hikvision Tashkent
T +99-87-1238-9438
uzb@hikvision.ru

Hikvision Indonesia
T +62-21-2933759
Sales.Indonesia@hikvision.com

Hikvision Thailand
T +662-275-9949
sales.thailand@hikvision.com

Hikvision Malaysia
T +601-7652-2413
sales.my@hikvision.com

Hikvision Vietnam
T +84-974270888
sales.vt@hikvision.com

Hikvision Hong Kong
T +852-2151-1761
info.hk@hikvision.com

Hikvision Colombia
sales.colombia@hikvision.com

© Hikvision Digital Technology Co., Ltd. 2020 | Data subject to change without notice |